

|          |          |          |
|----------|----------|----------|
| Model:   | 08CVT652 | 08CVT654 |
| Norm Imp | 2        | 4.00     |
| SPL      | 84.9     | 84.68    |
| Lem      | 0.447    | 0.644    |
| Reve     | 2.05     | 3.64     |
| Sd       | 0.0133   | 0.0133   |
| BL       | 4.95     | 6.07     |
| Vas      | 9.28     | 7.43     |
| Mms      | 53.9     | 23.25    |
| Fs       | 23.7     | 61.23    |
| Qms      | 9.426    | 8.873    |
| Qes      | 0.7175   | 0.882    |
| Qts      | 0.6665   | 0.800    |
| Xmax mm  | 3.50     |          |

|          |         |         |
|----------|---------|---------|
| Model:   | 08CVT82 | 08CVT84 |
| Norm Imp | 84.8    | 4.00    |
| SPL      | 49.2    | 85.45   |
| Lem      | 5.75    | 2.393   |
| Reve     | 2.15    | 3.87    |
| Sd       | 10.32   | 0.0206  |
| BL       | 10.641  | 10.04   |
| Vas      | 0.597   | 14.10   |
| Mms      | 0.565   | 53.59   |
| Fs       | 84.8    | 45.14   |
| Qms      | 49.2    | 10.009  |
| Qes      | 5.75    | 0.570   |
| Qts      | 2.15    | 0.540   |

|          |          |          |
|----------|----------|----------|
| Model:   | 07CVT102 | 07CVT104 |
| Norm Imp | 2.00     | 4.00     |
| SPL dB   | 86.26    | 86.73    |
| Lem mH   | 2.181    | 3.185    |
| Reve     | 2.16     | 3.83     |
| Sd Sq.M  | 0.0379   | 0.0379   |
| BL TM    | 10.74    | 13.89    |
| Vas Litr | 34.86    | 34.36    |
| Mms gram | 126.65   | 116.53   |
| Fs Hz    | 34.3     | 35.7     |
| Qms      | 10.372   | 10.012   |
| Qes      | 0.511    | 0.523    |
| Qts      | 0.487    | 0.497    |
| Xmax mm  | 9.20     | 9.20     |

|          |          |          |
|----------|----------|----------|
| Model:   | 07CVT122 | 07CVT124 |
| Norm Imp | 2.00     | 4.00     |
| SPL dB   | 87.56    | 87.65    |
| Lem mH   | 2.276    | 3.406    |
| Reve     | 2.18     | 3.87     |
| Sd Sq.M  | 0.0532   | 0.0532   |
| BL TM    | 11.13    | 14.04    |
| Vas Litr | 53.85    | 55.48    |
| Mms gram | 158.09   | 148.73   |
| Fs Hz    | 34.6     | 34.9     |
| Qms      | 10.500   | 10.220   |
| Qes      | 0.604    | 0.645    |
| Qts      | 0.560    | 0.606    |
| Xmax mm  | 9.80     | 9.80     |